ELSEVIER

Gene 198 (1997) 421–424

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 198 (1997)

Aitken, M., see Wheeler, V.C. (198) 203
Albert, S., Twardzik, T., Heisenberg, M. and Schneuwly, S.
Isolation and characterization of the *droPIK57* gene encoding a new regulatory subunit of phosphatidylinositol 3-kinase from *Drosophila melanogaster* (198) 181
Arella, M., see Echeverry, F. (198) 399

Baird, S., see Lafrenière, R.G. (198) 313
Barray, S., see Quillet, L. (198) 135
Basbaum, C., see Nogami, H. (198) 191
Begley, T.P., see Zhang, Y. (198) 73
Beijersbergen, A., see van Gemeren, I.A. (198) 43
Bensmail, L., see Quillet, L. (198) 135
Bergeron, J., see Echeverry, F. (198) 399
Beverley, S.M., see Garraway, L.A. (198) 27
Bharathi, A., Ghosh, A., Whalen, W.A., Yoon, J.H., Pu, R., Dasso, M. and Dhar, R.
The human *RAE1* gene is a functional homologue of *Schizosaccharomyces pombe rae1* gene involved in nuclear export of Poly(A)$^+$ RNA (198) 251
Billaut-Mulot, O., Fernandez-Gomez, R. and Ouaissi, A.
Phenotype of recombinant *Trypanosoma cruzi* which overexpress elongation factor 1-γ: possible involvement of EF-1γ GST-like domain in the resistance to clomipramine (198) 259
Breindl, M., see Salimi-Tari, P. (198) 61
Brenner, S., see Koh, C.G. (198) 223
Broekhuijsen, M.P., see van Gemeren, I.A. (198) 43
Budarf, M.L., see Goldmuntz, E. (198) 379
Burr, R.H.L., see Mottus, R.C. (198) 229

Cai, Q. and Storey, K.B.
Upregulation of a novel gene by freezing exposure in the freeze-tolerant wood frog (*Rana sylvatica*) (198) 305
Carrick, C.S., Fyfe, J.A.M. and Davies, J.K.
The normally silent σ^{54} promoters upstream of the *pilE* genes of both *Neisseria gonorrhoeae* and *Neisseria meningitidis* are functional when transferred to *Pseudomonas aeruginosa* (198) 89
Cerff, R., see Habenicht, A. (198) 237
Cevario, S., see Okuda, M. (198) 141
Chaves, R.S., Herrero, P., Ordiz, I., del Brio, M.A. and Moreno, F.
Isocitrate lyase localisation in *Saccharomyces cerevisiae* cells (198) 165
Chen, Y. and Roxby, R.
Identification of a functional CT-element in the *Phytophthora infestans piypt1* gene promoter (198) 159
Cherdchu, K., see Narumi, I. (198) 115
Cheung, M., see Salimi-Tari, P. (198) 61
Chihara, K., see Kobayashi, T. (198) 341
Chilton, B.S., see Robinson, C.A. (198) 1
Cho, K.-W., see Okuda, M. (198) 141
Clay, F.J., Ernst, M.R., Trueman, J.W.H., Flegg, R. and Dunn, A.R.
The mouse *Plk* gene: structural characterization, chromosomal localization and identification of a processed *Plk* pseudogene (198) 329
Colbert, M., see Jacobs, K.A. (198) 289
Cole, G.T., see Yu, J.-J. (198) 387
Collins-Racie, L.A., see Jacobs, K.A. (198) 289
Coutelle, C., see Wheeler, V.C. (198) 203
Cramer, G., see Yasothornsrikul, S. (198) 17
Culic, I., see Widom, R.L. (198) 407
Cuny, G., see Giraud, E. (198) 149

Dasso, M., see Bharathi, A. (198) 251
Davies, J.K., see Carrick, C.S. (198) 89
Davis, W.J., see Yasothornsrikul, S. (198) 17
Dearolf, C.R., see Yasothornsrikul, S. (198) 17
del Brio, M.A., see Chaves, R.S. (198) 165
Dhar, R., see Bharathi, A. (198) 251
Dierick, H.A., Mercer, J.F.B. and Glover, T.W.
A phosphoglycerate mutase brain isoform (*PGAM 1*) pseudogene is localized within the human Menkes disease gene (*ATP7A*) (198) 37
Dobson, D.E., see Garraway, L.A. (198) 27
Doris, P.A., see Robinson, C.A. (198) 1
Dosne, A.-M., see Janel, N. (198) 127
Drint-Kuyvenhoven, A., see van Gemeren, I.A. (198) 43
Dubé, M.-P., see Lafrenière, R.G. (198) 313
Duckett, M., see Jacobs, K.A. (198) 289
Dunn, A.R., see Clay, F.J. (198) 329

Echeverry, F., Bergeron, J., Kaupp, W., Guertin, C. and Arella, M.
Sequence analysis and expression of the polyhedrin gene of *Choristoneura fumiferana* cytoplasmic polyhedrosis virus (CfCPV) (198) 399
Ernst, M.R., see Clay, F.J. (198) 329

Fedon, J., see Goldmuntz, E. (198) 379
Fernandez-Gomez, R., see Billaut-Mulot, O. (198) 259
Flegg, R., see Clay, F.J. (198) 329
Fon, E.A., see Lafrenière, R.G. (198) 313
Franco, G.R., Garratt, R.C., Tanaka, M., Simpson, A.J.G. and Pena, S.D.J.
Characterization of a *Schistosoma mansoni* gene encoding a homologue of the Y-box binding protein (198) 5
Fujimoto, H., see Komatsu, S. (198) 359
Fukase, M., see Kobayashi, T. (198) 341
Fyfe, J.A.M., see Carrick, C.S. (198) 89

Gallup, M., see Nogami, H. (198) 191
Garratt, R.C., see Franco, G.R. (198) 5
Garraway, L.A., Tosi, L.R.O., Wang, Y., Moore, J.B., Dobson, D.E. and Beverley, S.M.
Insertional mutagenesis by a modified in vitro Ty1 transposition system (198) 27
Gaul, R., see Wilke, K. (198) 269
Ghosh, A., see Bharathi, A. (198) 251
Gil, J.A., see Ramos, A. (198) 217
Giraud, E. and Cuny, G.
Molecular characterization of the α-amylase genes of *Lactobacillus plantarum* A6 and *Lactobacillus amylovorus* reveals an unusual 3′ end structure with direct tandem repeats and suggests a common evolutionary origin (198) 149

Glover, T.W., see Dierick, H.A. (198) 37
Golden-Fleet, M., see Jacobs, K.A. (198) 289
Goldmuntz, E., Fedon, J., Roe, B. and Budarf, M.L.
Molecular characterization of a serine/threonine kinase in the DiGeorge minimal critical region (198) 379
Gong, W., see Wilke, K. (198) 269
Gotoda, Y., see Wakamatsu, N. (198) 351
Grigliatti, T.A., see Mottus, R.C. (198) 229
Guertin, C., see Echeverry, F. (198) 399
Guespin-Michel, J., see Quillet, L. (198) 135
Gum, J., see Nogami, H. (198) 191

Habenicht, A., Quesada, A. and Cerff, R.
Sequence of the non-phosphorylating glyceraldehyde-3-phosphate dehydrogenase from *Nicotiana plumbaginifolia* and phylogenetic origin of the gene family (198) 237
Han, F.-Y., see Lafrenière, R.G. (198) 313
Harbers, K., see Salimi-Tari, P. (198) 61
Hasegawa, A., see Okuda, M. (198) 141
Hayashi, Y., see Nam, S.-y. (198) 245
Hayes, F., Lubetzki, S.A. and Sherratt, D.J.
Salmonella typhimurium specifies a circular chromosome dimer resolution system which is homologous to the Xer site-specific recombination system of *Escherichia coli* (198) 105
Hayward-Lester, A., see Robinson, C.A. (198) 1
Heisenberg, M., see Albert, S. (198) 181
Herrero, P., see Chaves, R.S. (198) 165
Hewetson, A., see Robinson, C.A. (198) 1
Hjorth, J.P., see Laursen, J. (198) 367
Hong, S.-B., Kim, S.J., Noh, M.J., Lee, Y.M., Kim, Y. and Yoo, O.J.
Identification of the transcription termination site of the mouse *nkx-1.2* gene: involvement of sequence-specific factors (198) 373
Hosoya, H., see Komatsu, S. (198) 359

Jacobs, K.A., Collins-Racie, L.A., Colbert, M., Duckett, M., Golden-Fleet, M., Kelleher, K., Kriz, R., LaVallie, E.R., Merberg, D., Spaulding, V., Stover, J., Williamson, M.J. and McCoy, J.M.
A genetic selection for isolating cDNAs encoding secreted proteins (198) 289
Janel, N., Dosne, A.-M., Obert, B., Meyer, D. and Kerbiriou-Nabias, D.
Functional characterization of bovine von Willebrand factor gene promoter in bovine endothelial cells demonstrates species-specific properties (198) 127
Jovanovic, G., see Rakonjac, J. (198) 99

Kang, X., see Lafrenière, R.G. (198) 313
Kato, Y., see Sugiyama, T. (198) 111
Kaupp, W., see Echeverry, F. (198) 399
Kawai, H., see Wakamatsu, N. (198) 351
Kazahari, K., Nomoto, K., Nakazato, S. and Ono, M.
Gene coding for the transcription factor, *SUG*/proteasome, *p45* is located nearly 40 kb downstream from the rat growth hormone gene (198) 323
Kelleher, K., see Jacobs, K.A. (198) 289
Kerbiriou-Nabias, D., see Janel, N. (198) 127
Kibar, Z., see Lafrenière, R.G. (198) 313
Kido, N., see Sugiyama, T. (198) 111
Kim, S.J., see Hong, S.-B. (198) 373
Kim, Y., see Nogami, H. (198) 191
Kim, Y., see Hong, S.-B. (198) 373
Kimbrell, D.A., see Yasothornsrikul, S. (198) 17
Kirkland, T.N., see Yu, J.-J. (198) 387
Kitayama, S., see Narumi, I. (198) 115
Kobayashi, T., Sugimoto, T., Saijoh, K., Fukase, M. and Chihara, K.
Cloning of mouse diastrophic dysplasia sulfate transporter gene induced during osteoblast differentiation by bone morphogenetic protein-2 (198) 341
Koh, C.G., Oon, S.H. and Brenner, S.
Serine/threonine phosphatases of the pufferfish, *Fugu rubripes* (198) 223
Koide, N., see Sugiyama, T. (198) 111
Komatsu, S., Murata-Hori, M., Totsukawa, G., Murai, N., Fujimoto, H., Mabuchi, I. and Hosoya, H.
Identification of $p34^{pdc2}$ kinase from sea urchin *Hemicentrotus pulcherrimus* and its involvement in the phosphorylation of myosin II regulatory light chain in the metaphase extract (198) 359
Korn, J.H., see Widom, R.L. (198) 407
Korneluk, R.G., see Lafrenière, R.G. (198) 313
Krauss, S., see Martínez-Barberá, J.P. (198) 53
Kriz, R., see Jacobs, K.A. (198) 289
Kurohmaru, M., see Nam, S.-y. (198) 245

Ladeira de Campos, C.B. and Lopes, U.G.
Leishmania braziliensis, molecular characterization of an elongation factor 1α gene (198) 281
Ladomery, M., Lyons, S. and Sommerville, J.
Xenopus HDm, a maternally expressed histone deacetylase, belongs to an ancient family of acetyl-metabolizing enzymes (198) 275
Lafrenière, R.G., Kibar, Z., Rochefort, D.L., Han, F.-Y., Fon, E.A., Dubé, M.-P., Kang, X., Baird, S., Korneluk, R.G., Rommens, J.M. and Rouleau, G.A.
Genomic structure of the human *GT334* (*EHOC-1*) gene mapping to 21q22.3 (198) 313
Laursen, J. and Hjorth, J.P.
A cassette for high-level expression in the mouse salivary glands (198) 367
LaVallie, E.R., see Jacobs, K.A. (198) 289
Lee, J.Y., see Widom, R.L. (198) 407
Lee, Y.M., see Hong, S.-B. (198) 373
Li, J.-D., see Nogami, H. (198) 191
Lin, Z., Yang, S. and Mallavia, L.P.
Codon usage and nucleotide composition in *Coxiella burnetii* (198) 171
Lopes, U.G., see Ladeira de Campos, C.B. (198) 281
Lubetzki, S.A., see Hayes, F. (198) 105
Lyons, S., see Ladomery, M. (198) 275

Mabuchi, I., see Komatsu, S. (198) 359
Macias, J.R., see Ramos, A. (198) 217
Mallavia, L.P., see Lin, Z. (198) 171
Martínez-Barberá, J.P., Toresson, H., Rocha, S.D. and Krauss, S.
Cloning and expression of three members of the zebrafish Bmp family: *Bmp2a*, *Bmp2b* and *Bmp4* (198) 53
Mastubara, K., see Sugino, H. (198) 83
McCoy, J.M., see Jacobs, K.A. (198) 289
Merberg, D., see Jacobs, K.A. (198) 289
Mercer, J.F.B., see Dierick, H.A. (198) 37
Meyer, D., see Janel, N. (198) 127
Minehata, K.-i., see Okuda, M. (198) 141
Model, P., see Rakonjac, J. (198) 99
Moore, J.B., see Garraway, L.A. (198) 27
Moreno, F., see Chaves, R.S. (198) 165
Mottus, R.C., Whitehead, I.P., O'Grady, M., Sobel, R.E., Burr, R.H.L., Spiegelman, G.B. and Grigliatti, T.A.
Unique gene organization: alternative splicing in *Drosophila* produces two structurally unrelated proteins (198) 229
Murai, N., see Komatsu, S. (198) 359
Murata-Hori, M., see Komatsu, S. (198) 359

Nakamura, N., see Okuda, M. (198) 141
Nakamuta, N., see Nam, S.-y. (198) 245
Nakazato, S., see Kazahari, K. (198) 323

Nam, S.-y., Nakamuta, N., Kurohmaru, M. and Hayashi, Y.
Cloning and sequencing of the mouse cDNA encoding a phospholipid hydroperoxide glutathione peroxidase (198) 245
Narumi, I., Cherdchu, K., Kitayama, S. and Watanabe, H.
The *Deinococcus radiodurans uvrA* gene: identification of mutation sites in two mitomycin-sensitive strains and the first discovery of insertion sequence element from deinobacteria (198) 115
Nishigaki, K., see Okuda, M. (198) 141
Nogami, H., Ohmori, H., Li, J.-D., Gallup, M., Gum, J., Kim, Y. and Basbaum, C.
Sp1 protein contributes to airway-specific rat *MUC 2* mucin gene transcription (198) 191
Noh, M.J., see Hong, S.-B. (198) 373
Nomoto, K., see Kazahari, K. (198) 323

O'Brien, S.J., see Okuda, M. (198) 141
O'Grady, M., see Mottus, R.C. (198) 229
Obert, B., see Janel, N. (198) 127
Oefner, P.J., see Robinson, C.A. (198) 1
Ohmori, H., see Nogami, H. (198) 191
Okuda, M., Minehata, K.-i., Setoguchi, A., Cho, K.-W., Nakamura, N., Nishigaki, K., Watari, T., Cevario, S., O'Brien, S.J., Tsujimoto, H. and Hasegawa, A.
Cloning and chromosome mapping of the feline genes *p21WAF1* and *p27Kip1* (198) 141
Ono, M., see Kazahari, K. (198) 323
Oon, S.H., see Koh, C.G. (198) 223
Ordiz, I., see Chaves, R.S. (198) 165
Oshimura, M., see Sugino, H. (198) 83
Ouaissi, A., see Billaut-Mulot, O. (198) 259

Pena, S.D.J., see Franco, G.R. (198) 5
Poustka, A., see Wilke, K. (198) 269
Pu, R., see Bharathi, A. (198) 251
Punt, P.J., see van Gemeren, I.A. (198) 43

Quesada, A., see Habenicht, A. (198) 237
Quillet, L., Bensmail, L., Barray, S. and Guespin-Michel, J.
Cloning and sequencing of two genes, *prtA* and *prtB*, from *Myxococcus xanthus*, encoding PrtA and PrtB proteases, both of which are required for the protease activity (198) 135

Radlwimmer, F.B. and Yokoyama, S.
Cloning and expression of the red visual pigment gene of goat (*Capra hircus*) (198) 211
Rakonjac, J., Jovanovic, G. and Model, P.
Filamentous phage infection-mediated gene expression: construction and propagation of the *gIII* deletion mutant helper phage R408d3 (198) 99
Ramos, A., Macias, J.R. and Gil, J.A.
Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer *Brevibacterium lactofermentum* (*Corynebacterium glutamicum* ATCC 13869) (198) 217
Robinson, C.A., Hayward-Lester, A., Hewetson, A., Oefner, P.J., Doris, P.A. and Chilton, B.S.
Quantification of alternatively spliced RUSH mRNA isoforms by QRT-PCR and IP-RP-HPLC analysis: a new approach to measuring regulated splicing efficiency (198) 1
Rocha, S.D., see Martínez-Barberá, J.P. (198) 53
Rochefort, D.L., see Lafrenière, R.G. (198) 313
Roe, B., see Goldmuntz, E. (198) 379
Rommens, J.M., see Lafrenière, R.G. (198) 313
Rouleau, G.A., see Lafrenière, R.G. (198) 313
Roxby, R., see Chen, Y. (198) 159

Safar, C.A., see Salimi-Tari, P. (198) 61
Saijoh, K., see Kobayashi, T. (198) 341
Saito, S., see Wakamatsu, N. (198) 351
Salimi-Tari, P., Cheung, M., Safar, C.A., Tracy, J.T., Tran, I., Harbers, K. and Breindl, M.
Molecular cloning and chromatin structure analysis of the murine α1(I) collagen gene domain (198) 61
Schneuwly, S., see Albert, S. (198) 181
Setoguchi, A., see Okuda, M. (198) 141
Sherratt, D.J., see Hayes, F. (198) 105
Simpson, A.J.G., see Franco, G.R. (198) 5
Skorupski, K. and Taylor, R.K.
Sequence and functional analysis of the gene encoding *Vibrio cholerae* cAMP receptor protein (198) 297
Smithson, S.L., see Yu, J.-J. (198) 387
Sobel, R.E., see Mottus, R.C. (198) 229
Sommerville, J., see Ladomery, M. (198) 275
Spaulding, V., see Jacobs, K.A. (198) 289
Spiegelman, G.B., see Mottus, R.C. (198) 229
Storey, K.B., see Cai, Q. (198) 305
Stover, J., see Jacobs, K.A. (198) 289
Sugimoto, T., see Kobayashi, T. (198) 341
Sugino, H., Oshimura, M. and Mastubara, K.
Distribution of human endogenous retroviral RTVL-H2 LTR sequences among human chromosomes (198) 83
Sugiyama, T., Kido, N., Kato, Y., Koide, N., Yoshida, T. and Yokochi, T.
Evolutionary relationship among *rfb* gene clusters synthesizing mannose homopolymer as O-specific polysaccharides in *Escherichia coli* and *Klebsiella* (198) 111
Suzuki, A., Suzuki, T., Tanabe, F., Toki, S., Washida, H., Wu, C.-Y. and Takaiwa, F.
Cloning and expression of five *myb*-related genes from rice seed (198) 393
Suzuki, T., see Suzuki, A. (198) 393

Takaiwa, F., see Suzuki, A. (198) 393
Tanabe, F., see Suzuki, A. (198) 393
Tanaka, M., see Franco, G.R. (198) 5
Taylor, R.K., see Skorupski, K. (198) 297
Thomas, P.W., see Yu, J.-J. (198) 387
Toki, S., see Suzuki, A. (198) 393
Toresson, H., see Martínez-Barberá, J.P. (198) 53
Tosi, L.R.O., see Garraway, L.A. (198) 27
Totsukawa, G., see Komatsu, S. (198) 359
Tracy, J.T., see Salimi-Tari, P. (198) 61
Tran, I., see Salimi-Tari, P. (198) 61
Trueman, J.W.H., see Clay, F.J. (198) 329
Tsujimoto, H., see Okuda, M. (198) 141
Twardzik, T., see Albert, S. (198) 181

van 't Hoog, A., see van Gemeren, I.A. (198) 43
van den Hondel, C.A.M.J.J., see van Gemeren, I.A. (198) 43
van Gemeren, I.A., Punt, P.J., Drint-Kuyvenhoven, A., Broekhuijsen, M.P., van 't Hoog, A., Beijersbergen, A., Verrips, C.T. and van den Hondel, C.A.M.J.J.
The ER chaperone encoding *bipA* gene of black *Aspergilli* is induced by heat shock and unfolded proteins (198) 43
Verrips, C.T., see van Gemeren, I.A. (198) 43

Wakamatsu, N., Gotoda, Y., Saito, S. and Kawai, H.
Characterization of the human MANB gene encoding lysosomal α-D-mannosidase (198) 351
Wang, Y., see Garraway, L.A. (198) 27

Washida, H., see Suzuki, A. (198) 393
Watanabe, H., see Narumi, I. (198) 115
Watari, T., see Okuda, M. (198) 141
Whalen, W.A., see Bharathi, A. (198) 251
Wheeler, V.C., Aitken, M. and Coutelle, C.
Modification of the mouse mitochondrial genome by insertion of an exogenous gene (198) 203
Whitehead, I.P., see Mottus, R.C. (198) 229
Widom, R.L., Culic, I., Lee, J.Y. and Korn, J.H.
Cloning and characterization of hcKrox, a transcriptional regulator of extracellular matrix gene expression (198) 407
Wiemann, S., see Wilke, K. (198) 269
Wilke, K., Wiemann, S., Gaul, R., Gong, W. and Poustka, A.
Isolation of human and mouse HMG2a cDNAs: evidence for an HMG2a-specific 3′ untranslated region (198) 269
Williamson, M.J., see Jacobs, K.A. (198) 289
Wu, C.-Y., see Suzuki, A. (198) 393

Yang, S., see Lin, Z. (198) 171
Yasothornsrikul, S., Davis, W.J., Cramer, G., Kimbrell, D.A. and Dearolf, C.R.
viking: identification and characterization of a second type IV collagen in *Drosophila* (198) 17
Yokochi, T., see Sugiyama, T. (198) 111
Yokoyama, S., see Radlwimmer, F.B. (198) 211
Yoo, O.J., see Hong, S.-B. (198) 373
Yoon, J.H., see Bharathi, A. (198) 251
Yoshida, T., see Sugiyama, T. (198) 111
Yu, J.-J., Smithson, S.L., Thomas, P.W., Kirkland, T.N. and Cole, G.T.
Isolation and characterization of the urease gene (*URE*) from the pathogenic fungus *Coccidioides immitis* (198) 387

Zhang, Y. and Begley, T.P.
Cloning, sequencing and regulation of *thiA*, a thiamin biosynthesis gene from *Bacillus subtilis* (198) 73